



**PETRAX**

# **COMPACTORS**

## **PETRAX**


**EDITION - EDICION 2020**

| Blade Components       |        | Componentes hoja      |                       | Pag. |
|------------------------|--------|-----------------------|-----------------------|------|
| Bulldozer Blades Types |        | Tipos de Hojas        |                       | 3    |
| Machine.               | Model. | Blade                 | Serial Number.        |      |
| 814                    | F      | Straight              | 56D 23K               | 4    |
| 814                    | F      | Straight              | 3YP 36S               | 5    |
| 815                    |        | Straight              | 24K1-1044 59E1-341    | 6    |
| 815                    |        | Straight              | 24K1045-UP 59E342 -UP | 7    |
|                        |        | Straight              | 39S 17Z               |      |
| 816                    | F      | Straight              | 51K                   | 8    |
|                        |        | Straight              | 41S 15Z 3ZP           |      |
| 824                    |        | Straight              | 93G                   | 9    |
| 824                    | S      | Straight              | 88H                   |      |
| 824                    | C/G    | Straight              | 35G                   | 10   |
| 824                    | C/G/H  | Straight              | 2HP                   |      |
| 825                    |        | Straight              | 93G                   | 11   |
| 825                    | C      | Straight              | 89X                   | 12   |
| 825                    | G      | Straight              | 4JP                   | 13   |
| 826                    | H      | Straight              | 97X 90K 2GP           | 14   |
| 834                    |        | Straight              | 93G                   | 15   |
|                        |        | Straight              | 27K 36G 96G           |      |
| 834                    |        | Universal             | 14B                   | 16   |
| 834                    | B/C    | Straight              | 64G                   | 17   |
|                        | G/H    | Straight              | All                   |      |
| 834                    | H      | Semi-U                | All                   | 18   |
| 835                    |        | Straight              | 27K 36G 96G           | 19   |
| 844                    |        | Semi-U                | 3TL 3WL               | 20   |
| 844                    |        | Universal             | 3TL 3WL               | 21   |
| Cleaners Bars          |        | Barras de limpieza    |                       | 22   |
| Plow Bolt Dimensions   |        | Dimensiones Tornillos |                       | 23   |

### Straight (S)

Cutting edges and end Bit in straight line.  
A good general purpose blade for most doring applications.


Cuchillas y cantoneras en linea recta.  
De uso General para la mayoría de las maquinas



### Universal (U)

A straight blade with large wings to carry large loads more efficient over long distances.  
Available only for larger models.


Una hoja recta con grandes alas para llevar grandes  
Carga más eficiente en largas distancias.  
Disponibile solo para modelos más grandes.



### Semi-U (SU)

A straight blade with small wings to provide better load carrying characteristics for mid-sized and large machines.

Una hoja recta con alas pequeñas para proporcionar mejor  
características de transporte de carga para medianas y  
grandes maquinas.





814


F

## Straight Blade

Serial Number

Numero de Serie

56D 23K



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T2921           | Center Edge | 1    | CC    |    | 1                | 20     | 254   | 1062,4 | 7       | 7/8"     | 5J4772   | 2J3505 |
| 4T2922           | End Edge    | 2    | CE    |    | 2                | 20     | 254   | 758,8  | 5       | 7/8"     | 5J4772   | 2J3505 |
| 4T2993           | Center Edge | 1    | CC    | HD | 1                | 25     | 254   | 1062,4 | 7       | 7/8"     | 5J4772   | 2J3505 |
| 4T2992           | End Edge    | 2    | CE    | HD | 2                | 25     | 254   | 758,8  | 5       | 7/8"     | 5J4772   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)

**814**
**F**
**Straight Blade**

Serial Number

Numero de Serie

3YP 36S



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>4T2922</b>    | Center Edge | 1    | CC    |    | 1                | 20     | 254   | 758,8  | 5       | 7/8"     | 6F0196   | 2J3505 |
| <b>4T2923</b>    | End Edge    | 2    | CE    |    | 2                | 20     | 254   | 1029   | 7       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>4T6241</b>    | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 409    | 7       | 7/8"     | 5J2409   | 2J3505 |
| <b>4T6242</b>    | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 409    | 7       | 7/8"     | 5J2409   | 2J3505 |

**CC** (Center Edge) **CE** ( End Edge ) **EB** ( End Bit ) **LH** ( Left ) **RH** ( Right ) **HD** ( Special Thick )  
**LC** ( Level Cut End Bit ) **GD** ( General Duty End Bit ) **EWL** ( Extended Wear Life )


815

## Straight Blade

Serial Number

Numero de Serie

24K1-1044 59E1-341



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>4T3008</b>    | Center Edge | 1    | CC    |    | 1                | 20     | 203   | 1165   | 11      | 5/8"     | 3F5108   | 4K0367 |
| <b>4T3020</b>    | End Edge    | 2    | CE    |    | 2                | 20     | 203   | 859    | 9       | 5/8"     | 3F5108   | 4K0367 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>4T3049</b>    | End Bit     | 3    | EB-RH | LC | 1                | 20     | 203   | 368    | 6       | 5/8"     | 3F5108   | 4K0367 |
| <b>4T3050</b>    | End Bit     | 3    | EB-LH | LC | 1                | 20     | 203   | 368    | 6       | 5/8"     | 3F5108   | 4K0367 |
| <b>3G8295</b>    | End Bit     | 4    | EB-RH | GD | 1                | 25     | 221   | 402    | 6       | 5/8"     | 3F5108   | 4K0367 |
| <b>3G8296</b>    | End Bit     | 4    | EB-LH | GD | 1                | 25     | 221   | 402    | 6       | 5/8"     | 3F5108   | 4K0367 |

CC (Center Edge) CE ( End Edge ) EB ( End Bit ) LH ( Left ) RH ( Right ) HD ( Special Thick )  
 LC ( Level Cut End Bit ) GD ( General Duty End Bit ) EWL ( Extended Wear Life )



PETRAX



815

## Straight Blade

Serial Number

Numero de Serie

24K1045-UP 59E342 -UP



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T3004           | Center Edge | 1    | CC    |    | 2                | 20     | 203   | 1441,4 | 9       | 3/4"     | 4F7827   | 2J3506 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T3041           | End Bit     | 2    | EB-RH | LC | 1                | 25     | 203   | 368    | 6       | 3/4"     | 4F7827   | 2J3506 |
| 4T3042           | End Bit     | 2    | EB-LH | LC | 1                | 25     | 203   | 368    | 6       | 3/4"     | 4F7827   | 2J3506 |
| 3G8297           | End Bit     | 3    | EB-RH | GD | 1                | 25     | 254   | 402    | 6       | 3/4"     | 4F7827   | 2J3506 |
| 3G8298           | End Bit     | 3    | EB-LH | GD | 1                | 25     | 254   | 402    | 6       | 3/4"     | 4F7827   | 2J3506 |



815

## Straight Blade

Serial Number

Numero de Serie

39S 17Z



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T3012           | Center Edge | 1    | CC    |    | 2                | 20     | 203   | 1495,4 | 10      | 3/4"     | 5J4773   | 2J3506 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T3045           | End Bit     | 2    | EB-RH | LC | 1                | 20     | 203   | 377    | 6       | 3/4"     | 5J4773   | 2J3506 |
| 4T3046           | End Bit     | 2    | EB-LH | LC | 1                | 20     | 203   | 377    | 6       | 3/4"     | 5J4773   | 2J3506 |
| 3G8319           | End Bit     | 3    | EB-RH | GD | 1                | 25     | 254   | 431    | 6       | 3/4"     | 5J4773   | 2J3506 |
| 3G8320           | End Bit     | 3    | EB-LH | GD | 1                | 25     | 254   | 431    | 6       | 3/4"     | 5J4773   | 2J3506 |

CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)



816


F

## Straight Blade

Serial Number

Numero de Serie

51K



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6531           | Center Edge | 1    | CC    |    | 1                | 25     | 254   | 1521   | 10      | 7/8"     | 6F0196   | 2J3505 |
| 4T6532           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 910    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

816


F

## Straight Blade

Serial Number

Numero de Serie

41S 15Z 3ZP



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T2922           | Center Edge | 1    | CC    |    | 1                | 20     | 254   | 758,8  | 5       | 7/8"     | 6F0196   | 2J3505 |
| 4T2923           | End Edge    | 2    | CE    |    | 2                | 20     | 254   | 1029   | 7       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6241           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 409    | 7       | 7/8"     | 5J2409   | 2J3505 |
| 4T6242           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 409    | 7       | 7/8"     | 5J2409   | 2J3505 |




824

## Straight Blade

Serial Number

Numero de Serie

93G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6531           | Center Edge | 1    | CC    |    | 1                | 25     | 254   | 1521   | 10      | 7/8"     | 6F0196   | 2J3505 |
| 4T6532           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 910    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


824 S

## Straight Blade

Serial Number

Numero de Serie

88H



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6448           | Center Edge | 1    | CC    |    | 2                | 30     | 305   | 1518,9 | 10      | 1"       | 4J9058   | 2J3507 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 3G8289           | End Bit     | 2    | EB-RH | GD | 1                | 35     | 399   | 681    | 7       | 1"       | 4J9208   | 2J3507 |
| 3G8290           | End Bit     | 2    | EB-LH | GD | 1                | 35     | 399   | 681    | 7       | 1"       | 4J9208   | 2J3507 |
| 3G8281           | End Bit     | 2    | EB-RH | GD | 1                | 40     | 399   | 681    | 7       | 1"       | 4J9208   | 2J3507 |
| 3G8282           | End Bit     | 2    | EB-LH | GD | 1                | 40     | 399   | 681    | 7       | 1"       | 4J9208   | 2J3507 |



PETRAX

824


C/G

Straight Blade

Serial Number

Numero de Serie

35G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6514           | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 1558   | 10      | 7/8"     | 5J2409   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

824


C/G/H

Straight Blade

Serial Number

Numero de Serie

2HP



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 122-9227         | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 894    | 6       | 7/8"     | 6F0196   | 2J3505 |
| 4T3420           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 817,6  | 5       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


**825**

## Straight Blade

Serial Number

Numero de Serie

93G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>4T6531</b>    | Center Edge | 1    | CC    |    | 1                | 25     | 254   | 1521   | 10      | 7/8"     | 6F0196   | 2J3505 |
| <b>4T6532</b>    | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 910    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>4T6505</b>    | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>4T6506</b>    | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8293</b>    | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8294</b>    | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8315</b>    | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8316</b>    | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

**CC** (Center Edge) **CE** (End Edge) **EB** (End Bit) **LH** ( Left ) **RH** ( Right ) **HD** ( Special Thick )  
**LC** ( Level Cut End Bit ) **GD** ( General Duty End Bit ) **EWL** ( Extended Wear Life )



825


C

Straight Blade

Serial Number

Numero de Serie

89X



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6238           | Center Edge | 1    | CC    |    | 3                | 25     | 254   | 1198,8 | 8       | 1"       | 4F4042   | 2J3507 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6229           | End Bit     | 2    | EB-RH | LC | 1                | 25     | 254   | 487    | 7       | 1"       | 4F4042   | 2J3507 |
| 4T6230           | End Bit     | 2    | EB-LH | LC | 1                | 25     | 254   | 487    | 7       | 1"       | 4F4042   | 2J3507 |
| 4T8089           | End Bit     | 2    | EB-RH | LC | 1                | 30     | 254   | 487    | 7       | 1"       | 4F4042   | 2J3507 |
| 4T8090           | End Bit     | 2    | EB-LH | LC | 1                | 30     | 254   | 487    | 7       | 1"       | 4F4042   | 2J3507 |
| 3G8317           | End Bit     | 3    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 1"       | 4F4042   | 2J3507 |
| 3G8318           | End Bit     | 3    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 1"       | 4F4042   | 2J3507 |
| 3G8287           | End Bit     | 3    | EB-RH | GD | 1                | 40     | 293   | 531    | 7       | 1"       | 4F4042   | 2J3507 |
| 3G8288           | End Bit     | 3    | EB-LH | GD | 1                | 40     | 293   | 531    | 7       | 1"       | 4F4042   | 2J3507 |

CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)



825


G

Straight Blade

Serial Number

Numero de Serie

4JP



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>4T6532</b>    | Center Edge | 1    | CC    |    | 4                | 25     | 254   | 910    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>4T6505</b>    | End Bit     | 2    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>4T6506</b>    | End Bit     | 2    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8293</b>    | End Bit     | 3    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8294</b>    | End Bit     | 3    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8315</b>    | End Bit     | 3    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8316</b>    | End Bit     | 3    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

CC (Center Edge) CE ( End Edge ) EB ( End Bit ) LH ( Left ) RH ( Right ) HD ( Special Thick )  
LC ( Level Cut End Bit ) GD ( General Duty End Bit ) EWL ( Extended Wear Life )

826


H

Straight Blade

Serial Number

Numero de Serie

97X 90K 2GP



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6515           | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 1773   | 12      | 7/8"     | 5J2409   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 2    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 2    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 3    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 3    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 3    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 3    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)


834

## Straight Blade

Serial Number

Numero de Serie

93G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6531           | Center Edge | 1    | CC    |    | 1                | 25     | 254   | 1521   | 10      | 7/8"     | 6F0196   | 2J3505 |
| 4T6532           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 910    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


834

## Straight Blade

Serial Number

Numero de Serie

27K 36G 96G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T6515           | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 1773   | 12      | 7/8"     | 5J2409   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 2    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 2    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 3    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 3    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 3    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 3    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


834

## Universal Blade

Serial Number

Numero de Serie

14B



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T8797           | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 988    | 6       | 7/8"     | 6F0196   | 2J3505 |
| 4T8798           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 1076,4 | 7       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)




834 B/C

Straight Blade

Serial Number

Numero de Serie

64G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T2889           | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 1409,2 | 9       | 7/8"     | 6F2409   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |


834 G/H

Straight Blade

Serial Number

Numero de Serie

All



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 6Y5539           | Center Edge | 1    | CC    |    | 1                | 30     | 330   | 1787,4 | 12      | 1"       | 4F4042   | 2J3507 |
| 4T6386           | End Edge    | 2    | CE    |    | 2                | 30     | 330   | 1039,4 | 7       | 1"       | 4F4042   | 2J3507 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 6Y4277           | End Bit     | 3    | EB-RH | LC | 1                | 40     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |
| 6Y4278           | End Bit     | 3    | EB-LH | LC | 1                | 40     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |
| 100-3135         | End Bit     | 3    | EB-RH | LC | 1                | 45     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |
| 100-3136         | End Bit     | 3    | EB-LH | LC | 1                | 45     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |
| 100-3137         | End Bit     | 3    | EB-RH | LC | 1                | 60     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |
| 100-3138         | End Bit     | 3    | EB-LH | LC | 1                | 60     | 330   | 557    | 7       | 1"       | 4F4042   | 2J3507 |



834


H

Semi-U Blade

Serial Number

Numero de Serie

All



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 4T3420           | Center Edge | 1    | CC    |    | 3                | 25     | 254   | 816,6  | 5       | 7/8"     | 6F0196   | 2J3505 |
| 4T8797           | End Edge    | 2    | CE    |    | 2                | 25     | 254   | 988    | 6       | 7/8"     | 6F0196   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 4T6505           | End Bit     | 3    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 4T6506           | End Bit     | 3    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8293           | End Bit     | 4    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8294           | End Bit     | 4    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8315           | End Bit     | 4    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| 3G8316           | End Bit     | 4    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

CC (Center Edge) CE ( End Edge ) EB ( End Bit ) LH ( Left ) RH ( Right ) HD ( Special Thick )  
LC ( Level Cut End Bit ) GD ( General Duty End Bit ) EWL ( Extended Wear Life )




835

## Straight Blade

Serial Number

Numero de Serie

27K 36G 96G



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>4T6515</b>    | Center Edge | 1    | CC    |    | 2                | 25     | 254   | 1773   | 12      | 7/8"     | 5J2409   | 2J3505 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>4T6505</b>    | End Bit     | 2    | EB-RH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>4T6506</b>    | End Bit     | 2    | EB-LH | LC | 1                | 25     | 254   | 472    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8293</b>    | End Bit     | 3    | EB-RH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8294</b>    | End Bit     | 3    | EB-LH | GD | 1                | 25     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8315</b>    | End Bit     | 3    | EB-RH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |
| <b>3G8316</b>    | End Bit     | 3    | EB-LH | GD | 1                | 30     | 293   | 531    | 7       | 7/8"     | 6F0196   | 2J3505 |

CC (Center Edge) CE ( End Edge ) EB ( End Bit ) LH ( Left ) RH ( Right ) HD ( Special Thick )  
LC ( Level Cut End Bit ) GD ( General Duty End Bit ) EWL ( Extended Wear Life )


844

Semi-U Blade

Serial Number

Numero de Serie

3TL 3WL



| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| 7J2980           | Center Edge | 1    | CC    |    | 1                | 40     | 330   | 1039,4 | 7       | 1"       | 4J9058   | 2J3507 |
| 112-2475         | End Edge    | 2    | CE    |    | 2                | 45     | 330   | 900    | 6       | 1"       | 4J9058   | 2J3507 |
| 9W3927           | End Edge    | 3    | CE    |    | 2                | 45     | 330   | 803,1  | 5       | 1"       | 4J9058   | 2J3507 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| 100-3135         | End Bit     | 4    | EB-RH | LC | 1                | 45     | 330   | 581,7  | 7       | 1"       | 4J9058   | 2J3507 |
| 100-3136         | End Bit     | 4    | EB-LH | LC | 1                | 45     | 330   | 581,7  | 7       | 1"       | 4J9058   | 2J3507 |
| 8E4197           | End Bit     | 5    | EB-RH | GD | 1                | 50     | 408   | 585    | 7       | 1"       | 4J9058   | 2J3507 |
| 8E4196           | End Bit     | 5    | EB-LH | GD | 1                | 50     | 408   | 585    | 7       | 1"       | 4J9058   | 2J3507 |

CC (Center Edge) CE (End Edge) EB (End Bit) LH (Left) RH (Right) HD (Special Thick)  
LC (Level Cut End Bit) GD (General Duty End Bit) EWL (Extended Wear Life)




844

Universal

Serial Number


Numero de Serie

3TL 3WL





| Blade Components |             |      |       |    | Componentes hoja |        |       |        |         |          |          |        |
|------------------|-------------|------|-------|----|------------------|--------|-------|--------|---------|----------|----------|--------|
| Reference        | Description | Type |       |    | Qty              | Thick  | Width | Length | Holes   | Diametre | Bolts    | Nuts   |
| <b>9W4500</b>    | Center Edge | 1    | CC    |    | 1                | 35     | 330   | 1039,4 | 7       | 1"       | 4J9058   | 2J3507 |
| <b>9W6092</b>    | End Edge    | 2    | CE    |    | 2                | 35     | 330   | 900    | 6       | 1"       | 4J9058   | 2J3507 |
| <b>7T9125</b>    | End Edge    | 3    | CE    |    | 2                | 35     | 330   | 803,1  | 5       | 1"       | 4J9058   | 2J3507 |
| Referencia       | Descripción | Tipo |       |    | Cant.            | Grueso | Ancho | Largo  | Agujero | Diametro | Tornillo | Tuerca |
| <b>100-3135</b>  | End Bit     | 4    | EB-RH | LC | 1                | 45     | 330   | 581,7  | 7       | 1"       | 4J9058   | 2J3507 |
| <b>100-3136</b>  | End Bit     | 4    | EB-LH | LC | 1                | 45     | 330   | 581,7  | 7       | 1"       | 4J9058   | 2J3507 |
| <b>8E4197</b>    | End Bit     | 5    | EB-RH | GD | 1                | 50     | 408   | 585    | 7       | 1"       | 4J9058   | 2J3507 |
| <b>8E4196</b>    | End Bit     | 5    | EB-LH | GD | 1                | 50     | 408   | 585    | 7       | 1"       | 4J9058   | 2J3507 |

CC (Center Edge) CE ( End Edge ) EB ( End Bit ) LH ( Left ) RH ( Right ) HD ( Special Thick )  
LC ( Level Cut End Bit ) GD ( General Duty End Bit ) EWL ( Extended Wear Life )



| Machine Model<br>Modelo Maquina | Serial Number<br>Numero de Serie | Tamping Foot | Rock   | Sheepsfoot | Landfill |
|---------------------------------|----------------------------------|--------------|--------|------------|----------|
| 836                             | 3RL 7F9                          |              |        |            | 713968   |
| 835                             | 44N                              | 4S7928       | 4S7928 | 3S3228     |          |
| 834                             | 43E                              | 4S7928       | 4S7928 | 3S3228     |          |
| 826C/B                          | 87X, 58U                         |              |        |            | 713968   |
| 826G                            | 7LN                              |              |        |            | 713968   |
| 825B                            | 43N                              | 3S3228       | 3S3228 | 4S7928     |          |
| 825C                            | 86X                              | 3S3228       | 3G8250 |            |          |
| 825G                            | 6RN                              | 3S3228       | 3G8250 |            |          |
| 824B/C/G                        | 36H, 85X, 45N                    | 3S3228       | 3S3228 | 4S7928     |          |
| 816B                            | 15Z                              |              |        |            | 713968   |
| 816F                            | 5FN                              |              |        |            | 713968   |
| 815                             | 91P                              | 4S7928       |        |            |          |
| 815B                            | 17Z                              | 106-2047     | 3G8250 |            |          |
| 815B                            | 17Z                              | 141-7407     |        |            |          |
| 815F                            | 1GN                              | 141-7407     |        |            |          |

| Diametre | Dimensions / Dimensiones |   |   |   |   |   |   |   |   |   | Nuts   | Washer   |
|----------|--------------------------|---|---|---|---|---|---|---|---|---|--------|----------|
| Diametro | A                        | B | A | B | A | B | A | B | A | B | Tuerca | Arandela |



|        |          |          |          |         |        |         |        |          |          |         |        |        |        |        |
|--------|----------|----------|----------|---------|--------|---------|--------|----------|----------|---------|--------|--------|--------|--------|
| 5/8"   | 4F3664   |          | 4F3653   |         | 4F3654 |         | 3F5108 |          | 4F3656   |         | 4K0367 | 5P8247 |        |        |
|        | 1-1/2"   | 5/8"     | 1-3/4"   | 5/8"    | 2"     | 3/4"    | 2-1/4" | 1-1/4"   | 2-1/2"   | 1"      |        |        |        |        |
|        | 4F3657   |          | 4F3658   |         | 4F3665 |         | 4F0391 |          | 4F3671   |         | 4K0367 | 5P8247 |        |        |
|        | 2-3/4"   | 1-1/4"   | 3"       | 1-1/2"  | 3-1/2" | 2-1/2"  | 3-3/4" | 2-1/4"   | 4"       | 2-1/2"  |        |        |        |        |
| 3/4"   | 4F3672   |          | 4F7827   |         | 5J4773 |         | 5J4771 |          | 1J6762   |         | 2J3506 | 5P8248 |        |        |
|        | 2"       | 3/4"     | 2-1/4"   | 1"      | 2-1/2" | 1-3/16" | 2-3/4" | 1-1/2"   | 3-1/8"   | 1-3/8"  |        |        |        |        |
|        | 5F8933   |          | 1J0962   |         | 1J6761 |         | 5P6783 |          | 5P6784   |         | 2J3506 | 5P8248 |        |        |
|        | 3-3/4"   | 2"       | 4-1/4"   | 2-1/2"  | 4-5/8" | 2-7/8"  | 6"     | 4"       | 7-1/4"   | 5-1/4"  |        |        |        |        |
| 7/8"   | 5J4775   |          | 6F0196   |         | 5J2409 |         | 8J2935 |          | 2J2548   |         | 2J3505 | 5P8249 |        |        |
|        | 2-1/2"   | 1-3/8"   | 2-3/4"   | 1-1/2"  | 3"     | 1-1/4"  | 3-1/4" | 2-7/16"  | 3-1/2"   | 1-3/4"  |        |        |        |        |
|        | 2J5458   |          | 1J0849   |         |        |         |        |          |          |         |        |        | 2J3505 | 5P8249 |
|        | 4-1/4"   | 2-1/2"   | 4-5/8"   | 2-5/8"  |        |         |        |          |          |         |        |        |        |        |
| 1"     | 3J2801   |          | 1J5607   |         | 4F4042 |         | 4J9058 |          | 4J9208   |         | 2J3507 | 5P8250 |        |        |
|        | 2-1/2"   | 15/16"   | 2-3/4"   | 1-1/2"  | 3"     | 1-3/4"  | 3-1/4" | 1-29/32" | 3-1/2"   | 2-3/16" |        |        |        |        |
|        | 8J2928   |          | 5P8136   |         | 1J3527 |         | 1J4907 |          |          |         |        |        | 2J3507 | 5P8250 |
|        | 3-3/4"   | 2-11/16" | 4"       | 3"      | 4-1/2" | 2-1/4"  | 5-1/4" | 3"       |          |         |        |        |        |        |
| 1-1/4" | 8T9079   |          | 6V6535   |         | 5P8823 |         | 6V8360 |          | 5P8361   |         | 3K9770 | 4K0684 |        |        |
|        | 3-1/4"   | 1-5/8"   | 3-3/4"   | 2-1/4"  | 4-1/8" | 2-1/4"  | 4-1/2" | 2-1/4"   | 4-15/16" | 2-1/4"  |        |        |        |        |
|        | 198-9311 |          | 204-9311 |         |        |         |        |          |          |         |        |        | 3K9770 | 4K0684 |
|        | 5-1/2"   | 2-9/32"  | 6-1/2"   | 2-9/32" |        |         |        |          |          |         |        |        |        |        |



# COMPACTORS

## PETRAX

EDITION - EDICION 2020